



## Tenth Grade - Real Number System

1) Evaluate the following with rational exponents

$$(8)^{2/3}$$

- 4
- 6
- 1
- 2

2) Evaluate the following with rational exponents

$$(27)^{-2/3}$$

- 2/3
- 1/4
- 1/9
- 1/7

3) Evaluate the following with rational exponents

$$(100)^{3/2}$$

- 5000
- 1000
- 2000
- 4000

4) Evaluate the following with rational exponents

$$(9)^{3/2}$$

- 15



- 21
- 27
- 17

5) Evaluate the following with rational exponents

$$(16)^{-5/4}$$

- 2/23
- 3/16
- 1/32
- 1/21

6) Evaluate the following with rational exponents

$$(x^2)^{1/2}$$

- x/6
- 4/9
- 3/8
- x

7) Evaluate the following with rational exponents

$$(64a^6)^{1/6}$$

- 2a
- 4a
- 5a
- 6a

8) Evaluate  $(y^{12})^{1/2}$  with rational exponents



- $y^3$
- $y/3$
- $y/8$
- $y^2$

9) Evaluate  $(a^?)^{1/4}$  with rational exponents

- $a/8$
- $a/3$
- $2a$
- $a^2$

10) Solve:  $(4^?) \times (4^2)$

- 36
- 64
- 56
- 42

11) Solve the following using the properties of exponents

$$(x)^y \div (x)^z$$

a.  $(x)^{x/w}$  b.  $(x)^{x/z}$  c.  $(x)^{z/x}$  d.  $(x)^{y-z}$

- d
- b
- a
- c

12) Solve the following using the properties of exponents



$$(8)^x \div (8)^y$$

a)  $(8)^{z-y}$  b)  $(8)^{z-x}$  c)  $(8)^{x-y}$  d)  $(8)^{x-x}$

- b
- d
- a
- c

13) Solve the following using the properties of exponents

$$(4^{3/2})^2$$

- 23
- 87
- 65
- 64

14) Solve the following using the properties of exponents

$$(1/2^5)^{1/4}$$

(a)  $(1/2)^{5/3}$  (b)  $(1/2)^{5/4}$  (c)  $(1/2)^{4/3}$  (d)  $(1/2)^{3/4}$

- b
- c
- b
- d

15) Solve the following using the properties of exponents

$$(y^a)^{b/4}$$

a)  $(y^{ab/4})$  b)  $(y^{3a})$  c)  $(y^{3a/2})$  d)  $(y^{3a/3})$



- a
- d
- b
- c

16) Solve the following using the properties of exponents

$$(12^{1/3}/4^{1/3})^{-2}$$

(a)  $(1/3)^{2/3}$  (b)  $(1/5)^{3/2}$  (c)  $(1/6)^{5/9}$  (d)  $(2/9)^{2/3}$

- b
- a
- d
- c

17) Solve the following using the properties of exponents

$$(x)^{-1/2}/(y)^{-1/3}$$

(a)  $(y)^{1/3}/(x)^{1/2}$  (b)  $(y)^{2/3}$  (c)  $(x)^{1/2}$  (d)  $(x)^{1/3}/(y)^{1/2}$

- a
- b
- d
- c

18) Solve the following using the properties of exponents

$$(7)^{-x}/(8)^{-y}$$

a)  $(5)^y/(3)^x$  b)  $(4)^y/(3)^x$  c)  $(9)^y/(7)^x$  d)  $(8)^y/(7)^x$

- c
- b
- d



- a

19) Solve the following using properties of exponents

$$(8)^{-mx} / (6)^{-ny}$$

a)  $8/6$  b)  $7/6$  c)  $3/6$  d)  $(6)^{ny} / (8)^{mx}$

- c
- b
- d
- a

20) Solve the following using properties of exponents

$$(x/z)^{1/5}$$

(a)  $(x)^{1/5} / (z)^{1/5}$  (b)  $(x)^{2/5} / (z)^{3/5}$  (c)  $(x)^2 / (z)^4$  (d)  $(x)^{1/2} / (z)^4$

- a
- d
- c
- b

21) Simplify the radicals using given operation

$$\sqrt[3]{16} - \sqrt[3]{2}$$

(a)  $\sqrt[4]{2}$  (b)  $\sqrt[4]{13}$  (c)  $\sqrt[4]{6}$  (d)  $\sqrt[3]{2}$

- a
- c
- d
- b



22) Simplify the radicals using given operations

$$3\sqrt[5]{y} + 6\sqrt[5]{y}$$

(a)  $9\sqrt[5]{y}$  (b)  $2\sqrt[5]{3y}$  (c)  $6\sqrt[5]{6y}$  (d)  $3\sqrt[5]{2y}$

- c
- d
- a
- b

23) Simplify the radicals using given operations

$$6\sqrt[3]{y} - 11\sqrt[3]{y}$$

(a)  $-3\sqrt[6]{2y}$  (b)  $2\sqrt[3]{3y}$  (c)  $-5\sqrt[3]{y}$  (d)  $7\sqrt[3]{2y}$

- d
- a
- b
- c

24) Simplify the radicals using given operations

$$2x\sqrt[3]{y} - 7x\sqrt[3]{y}$$

(a)  $-5x\sqrt[3]{y}$  (b)  $-6x\sqrt[3]{2y}$  (c)  $5x\sqrt[4]{y^2}$  (d)  $6x\sqrt[4]{2y^2}$

- c
- a
- a
- b



25) Simplify the radicals using given operations

$$3x\sqrt[3]{5x^5} - 2x\sqrt[3]{5x^5}$$

(a)  $x\sqrt[3]{5x^5}$  (b)  $2x\sqrt[4]{4x^6}$  (c)  $-2x\sqrt[3]{7x^6}$  (d)  $4x\sqrt[3]{6x^9}$

- b
- d
- a
- c

26) Simplify the radicals using given operations

$$7\sqrt[5]{6} + 2\sqrt[5]{6}$$

(a)  $9\sqrt[5]{6}$  (b)  $9\sqrt[5]{5}$  (c)  $9\sqrt[5]{4}$  (d)  $9\sqrt[4]{7}$

- c
- a
- b
- d

27) Simplify the radicals using given operations

$$\sqrt[3]{2} + 5\sqrt[3]{2}$$

(a)  $6\sqrt[3]{2}$  (b)  $5\sqrt[3]{3}$  (c)  $4\sqrt[3]{4}$  (d)  $9\sqrt[3]{2}$

- b
- a
- c
- d

28) Simplify the radicals using given operations



$$10\sqrt{2} - 2\sqrt{2} + 4\sqrt{32}$$

(a)  $2\sqrt{2}$  (b)  $2\sqrt{3}$  (c)  $23\sqrt{6}$  (d)  $24\sqrt{2}$

- c
- a
- d
- b

29) Simplify the radicals using given operations

$$\sqrt{48} - 3\sqrt{72} - \sqrt{27} + 5\sqrt{18}$$

(a)  $\sqrt{6}-6\sqrt{2}$  (b)  $\sqrt{2}-3\sqrt{3}$  (c)  $\sqrt{3}-3\sqrt{2}$  (d)  $\sqrt{4}-3\sqrt{6}$

- d
- a
- c
- b

30) Simplify the radicals using given operations

$$\sqrt{5}/2 - 10/\sqrt{5} + \sqrt{125}$$

- 4.216
- 7.826
- 5.211
- 2.876