#### Twelfth Grade - Differential Calculus

- 1) The luminous intensity I candelas of a lamp at varying voltage V is given by:  $I = 4 \times 10?? V^2$ . Determine the voltage at which the light is increasing at a rate of 0.6 candelas per volt.
  - 750
  - 550
  - 450
  - 650
- 2) The length I meters of a certain metal rod at temperature  $?^{\circ}$ C is given by I = 1 + 0.00005? + 0.0000004? Determine the rate of change of length in mm/ $^{\circ}$ C when the temperature is 100 $^{\circ}$ C.
  - 0.23
  - 0.13
  - 0.33
  - 0.43
- 3) The distance x meters described by a car in time t seconds is given by:  $x = 3t^3 ? 2t^2 + 4t ? 1$ . Determine the acceleration when t = 0.
  - 4
  - 7
  - -4
  - -7
- 4) Supplies are dropped from a helicopter and distance fallen in time t seconds is given by  $x = 1/2gt^2$  where g = 9.8 m/sec<sup>2</sup>. Determine the velocity and acceleration of the supplies after it has fallen for 2 seconds.
  - v = 19 m/sec, a = 10 m/sec<sup>2</sup>
  - v = 18.6 m/sec, a = 8.8 m/sec<sup>2</sup>
  - v = 19.6 m/sec, a = 9.8 m/sec<sup>2</sup>
  - v = 9.8 m/sec, a = 19.6 m/sec<sup>2</sup>

5) A boy, who is standing on a pole of height 14.7m throws a stone vertically upwards. It moves in a
vertical line slightly away from the pole and falls on the ground. Its equation of motion in meters and
seconds is $x = 9.8 t ? 4.9t^2$ . Find the time taken for downward motions.

- 5
- 4
- 3
- 2

6) A ladder 10m long rests against a vertical wall. If the bottom of the ladder slides away from the wall at
a rate of 1m/sec, how fast is the top of the ladder sliding down the wall when the bottom of the ladder is
6m from the wall?

- 2/3
- 1/3
- 1/7
- 3/4

7) A car A is travelling from west at 50 km/hr. and car B is travelling towards north at 60 km/hr. Both are headed for the intersection of the two roads. At what rate are the cars approaching each other when car A is 0.3 kilometers and car B is 0.4 kilometers from the intersection?

- 86
- 77
- 78
- 95

8) A water tank has the shape of an inverted circular cone with base radius 2 metres and height 4 metres. If water is being pumped into the tank at a rate of 2m³/min, find the rate at which the water level is rising when the water is 3 m deep.

- 8/7?
- 6/5?

- 8/9?
- 1/9?
- 9) Find the equations of the tangent to the curve  $y = x^3$  at the point (1,1)
  - y = 3x + 2
  - y = 3x 1
  - y = 3x 2
  - y = 3x + 1
- 10) Determine

- 17
- 11
- 15
- 10
- 11) Determine

$$\lim_{x\to 2}(x+4)$$

- 3
- 6
- 5
- 4
- 12) Determine

$$\lim_{x\to 10} [(x^2 - 100)/(x - 10)]$$



- 20
- 45
- 35
- 25

#### 13) Determine

$$\lim_{x\to 3} (x^2 - 9 / x + 3)$$

- 0
- 3

## 14) Determine

$$\lim_{x\to 3} [(x+3)/(x^2+3x)]$$

- 5
- 9

### 15) Determine

$$\lim_{x\to 2} (3x^2 - 4x/3 - x)$$

- 1
- 3

#### 16) Determine

$$\lim_{x\to 4} (x^2 - x - 12/x - 4)$$

- 6
- 4
- 5
- 7

#### 17) Determine

$$\lim_{x\to 2} (3x + 1/3x)$$

- 37/6
- 52/6
- 32/6
- 57/6

#### 18) Determine

$$\underset{x\to 0}{lim}1/x$$

- -1
- Not defined
- 1
- 0

#### 19) Determine

$$\lim_{y\to 1} (y+1/y-1)$$

- 6
- 0
- 1
- · Does not exist

#### 20) Determine

$$\lim_{h\to 0}(3h+h^2/h)$$

- 3
- Not defined
- -3
- 0

#### 21) Determine

$$\lim_{h\to 1} \left(h^3 - 1/h - 1\right)$$

- 0
- Not defined
- 3
- -3

#### 22) Determine

$$\lim_{x\to 3} (\sqrt{x} - \sqrt{3}/x - 3)$$

- ?3/6
- ?8/9
- ?5/6
- ?7/6

# 23) Given $g(x) = 3x^2$ , determine the gradient of the curve at the point x = ?1

- -8
- 6
- -6
- 4

- 24) Given the function  $f(x) = 2x^2$ ? 5x, determine the gradient of the tangent to the curve at the point x = 2
  - 8
  - 3
  - 6
  - -8
- 25) Determine the gradient of  $k(x) = 2x^3 + 2x + 1$  at the point x = 1
  - 6
  - -1
  - 5
  - 3
- 26) Given:  $f(x) = 2x^2 + 7$ . Find the average gradient of function f, between x = 21 and x = 3
  - 5
  - -2
  - 7
  - 6
- 27) Given:  $f(x) = ?x^2 + 7$ , find the gradient of 'f' at the point x = 3
  - -8x
  - -7x
  - -2x
  - -4x
- 28) Determine the gradient of the tangent to g if g(x) = 3/x

- -6/a<sup>2</sup>
- -3/a<sup>2</sup>
- 6/a²
- 3/a²
- 29) Determine the equation of the tangent to  $H(x) = x^2 + 3x$  at x = ?1
  - y = -x 1
  - y = -x + 1
  - y = x + 1
  - y = x 1
- 30) Use the rules of differentiation to find the derivative of y = 3x?
  - 3x?
  - 15x?
  - 12x?
  - 5x?