Twelfth Grade - Functions

- 1) Let $A = \{-2, -1, 0, 1, 2\}$ and if f : A ? Z be given by $f(x) = x^2 2x 3$. Find the range of f.
 - {0, -5, -3, -4}
 - {0, 5, -3, 4}
 - {0, 5, 3, -4}
 - {5, 0, -3, -4}
- 2) Consider the function $f(x) = x^2$. Let $A = \{-2, -1, 0, 1, 2\}$ under this rule $f(x) = x^2$ if we obtain f(-2) = 5, f(-1) = 1, f(0) = 0, f(1) = 1 then what could be the functions domain.
 - {5, 1, 0, 1}
 - {-2, -1, 0, 1, 2}
 - {3,0,-2,2}
 - None of these
- 3) Let $A = \{-2, -1, 0, 1, 2\}$ and if f: A? Z be given by $f(x) = x^2 2x 3$. Find the pre image of 6
 - No Pre image
 - 7
 - 3
 - -6
- 4) Find the domain for which the function $f(x) = 2x^2 1$ and g(x) = 1 3x are equal.
 - (-2, -1)
 - (-2, 1/2)
 - (2, 1/2)
 - (-2, -1/2)

- 5) Let f: R? R be a function given by $f(x) = x^2 + 1$. Find $f(x)^2 = x^2 + 1$.
 - No Pre image
 - ±4
 - ±3
 - ±5
- 6) Let $f = \{(1, 1), (2, 3), (0, -1), (-1, -3)\}$ be a function described by the formula f(x) = ax + b. Find a and b.
 - (-2, -1)
 - (2, -1)
 - None of these
 - (2, 0)
- 7) Find f (-1) if a function f: R? R be defined by

$$f(x) = \begin{cases} 3x-2, & x < 0 \\ 1, & x = 0 \\ 4x+1, & x > 0 \end{cases}$$

- 8
- -5
- 9
- 7
- 8) If $f(x) = x^2 3x + 4$, then find the value of f(2x + 1)
 - 4x
 - $-4x^2 2x 2$
 - 4x² 2x 2
 - $4x^2 2x + 2$

9) If $f(x) = (x - a)^2 (x - b)^2$, find f(a + b)

- ab
- a²b²
- xab
- · None of these

10) Find the domain for the function f(x) = ?(x - 2)

- [2, -5)
- (-2, ?]
- [2,?)
- (0, 0)

11) Find the domain for the function
$$f(x) = ?(4 - x^2)$$

- (-2,?)
- [2, -2)
- [-2, 2]
- [2, ?)

12) Find the range of the function
$$f(x) = [(4-x)/(x-4)]$$

- Ø
- -1
- 2
- X

13) Find the range of
$$f(x) = [(x-2)/(3-x)]$$

- R ? {0}
- R?{1}
- R ? {-1}
- R?{2}

14) How many terms are there in GP 3, 6, 12,, 384?
 3 35 30 8
15) Find the 9th term of the GP 2, 4, 8, 16
 320 453 512 625
16) Mary buys a Chocolate box $A(P) = 50P^2 - 15p + 30$, each Chocolate in the Chocolate box worth p \$3. Find the worth of the Chocolate box.
 400 345 435 450
17) Kevin runs in a playground $P(t) = 40t^2 - 30t + 3$ meters. The time taken by him, $t = 2s$. Then find the total distance covered by Kevin.
10510210098

18) In Cadbury city average consumption of Chocolate by a child for respective years are given. Find the rate of change?

Year	1980	1990	2000	2010
Consumption	720	870	1020	1170

- 14
- 25
- -15
- 15

19) For the function $f(x) = (x - 3)^2$. Find the average rate of change between the points at x = 1, x = 3

- -2
- 3
- 4
- 6

20) Let f be in subset of
$$Z \times Z$$
 defined by $f = \{(ab, (a + b) : a, b ? Z\}$. Then f is a

- Complement Function
- Not a Function
- Function
- Composite Function

21) Find the range of f, if f: R? R be defined as

$$f(x) = \begin{cases} 1, & \text{if } x \in Q \\ -1, & \text{if } x \notin Q \end{cases}$$

- [1, 1]
- [0, 1]
- [1, -1]
- [0, -1]

- 22) Determine $\{x : f(x) = 1\}$, if f : R ? R be such that f(x) = 2 ?
 - 4
- 23) The function f and g is defined as

$$f(x) = \begin{cases} x^2, 0 \le x \le 3 \\ 3x, 3 \le x \le 10 \end{cases}$$

$$g(x) = \begin{cases} x^2, 0 \le x \le 2 \\ 3x, 2 \le x \le 10 \end{cases}$$

- f is a function but g is not a function is a function
- g is a function
- f is a function
- f and g is a function
- 24) If $f(x) = x^2$, find [(f(1.1) f(1)) / (1.1) 1]
 - 5.1

 - 3.1
- 25) Find the domain of the function $f(x) = ?(4 x) + (1 / ?(x^2 1))$

 - (?, 1) ? (1, 4](-?, -1) ? (-1, -4]

- (-?, -1) ? (1, 4]
- (?, -1) ? (1, 4]
- 26) Find the domain of the function $f(x) = (1/2 \sin 3x)$
 - R
 - · Odd numbers
 - Even numbers
 - N
- 27) Find f (-?(3))

$$f(x) = \begin{cases} x^2, x < 0 \\ x, 0 \le x < 1 \\ 1/x, x \ge 1 \end{cases}$$

- -4
- 4
- 3
- -3
- 28) Find the range of the function $f(x) = 3/(2 x^2)$
 - (-?, 0) ? [1, ?)
 - (?,0)?[1,?)
 - (-?, 0)? [-1, -?)
 - (-?, 0) ? [-1, ?)
- 29) Find the range of the function $f(x) = 3/(2 x^2)$
 - (-?, 0)? [-3/2, -?)

- (?,0)?[-3/2,?)
- (?, 0) ? [3/2, ?)
- (-?,0)?[3/2,?)
- 30) Find the general term of the progression 1/4, -1/2, 1, -2
 - (-1)??? (2)??3
 - (-1)? (2)??³
 - (-1)??³ (-2)??³
 - (-1)??³ (2)??³